

## SOCIETY OF ACTUARIES

Article from:

## CompAct

May 2004 – Issue 17



# Using Excel to Prototype Relational Database Applications

by Dave Snell

xcel is often dismissed by information technology (IT) professionals because it is viewed by them as a toy—suitable only for single-user applications. Actuaries know the value of spreadsheets in rate calculations and what-if scenario testing; but most actuaries have never realized that their convenient little spreadsheet tool is also capable of lifting some rather heavy weights in the database environment.

In my opinion, Microsoft Excel is a highly functional programming language that happens to come with an awesome built-in grid control. It is the one of the most cost-effective tools I know of for making high-quality small applications that can be used on almost any corporate desktop. It can also be great for prototyping larger database applications.

I propose to show in this article that you can develop and test relational database projects from your spreadsheets. You can do it rapidly, and with less angst or cost than you might feel by going through the learning curve of the big database tools, like Microsoft's SQL Server or Oracle. I'll assume you have some familiarity with Structured Query Language (SQL), which we won't cover here. I also assume you've some exposure to Visual Basic for Applications (VBA) and that you may have even heard of Active Data Objects (ADO); but this can be minimal. Once you follow the instructions for entering the code below, you can embellish it at your leisure. This article is to help get you started using SQL from within Excel.

#### Using SQL with Excel sources

Excel has the capability to contain multiple tables and ranges, and it can be used as a source for SQL queries.

An easy way to accomplish this is via ADO. First, you must add a reference to ADO in your project in the VBA mode, which you can reach quickly from the spreadsheet mode via Alt-F11 (hold down the Alt key and press the F11 key). Once in VBA mode, click on <u>T</u>ools, <u>R</u>eferences.



There are several ADO libraries. I recommend using the lowest numbered one that meets your needs so that your workbook will be more transportable. In this case, I chose version 2.5, which probably came with Excel 97.

Next, you are going to need a little VBA help in the background to let you effectively use this conduit to SQL capability. Click <u>Insert</u>, then <u>Module</u> to get a working area. Then copy and paste the code in from this article.

The first item to copy is a Sub to read from an Excel database via Active Data Objects (ADO). Sub CopyFromXLDatabaseADO( \_ sDBRangeBook As String, sSQLRangeName As String, \_ sDestinationSheet As String, Optional bolClearSheet As Boolean = True, Optional bolShowFieldNames As Boolean = True, \_ Optional sDestRange As String = "A1") 'written by Dave Snell 'This Sub allows you to perform SQL queries against 'tables (named ranges) in an Excel workbook Dim cn As New ADODB.Connection Dim rs As New ADODB.Recordset Dim fld As ADODB.Field Dim IngOffset As Long Dim IngStartTime As Long Dim cmd As New ADODB.Command Dim s As String Dim sSQL As String Dim I As Integer IngStartTime = Timer Sheets(sDestinationSheet).Activate If bolClearSheet Then Cells.Select Selection.ClearContents End If 'populate with new information from the Access database extract With cn 'PROVIDER STRING follows (change for different source type e.g., Oracle) .Provider = "Microsoft.Jet.OLEDB.4.0" 'If you use a 'different 'version of 'the Jet engine, change the 4.0 to whatever you use. .Properties("Extended Properties").Value = "Excel 8.0" 'If you 'use Excel '2000, this is correct; Excel 2002 is 9.0, etc. .Open ActiveWorkbook.Path & "\" & sDBRangeBook End With With cmd Set .ActiveConnection = cn 'build a SQL query from the text on the SQL worksheet With Sheets("ŠQL") S = " " sSQL = "" While Len(s) > 0s = .Cells(.Range(Range(sSQLRangeName).Address).Row + I, \_ .Range(Range(sSQLRangeName).Address).Column).Value sSQL = sSQL & " " & s | = | + 1Wend End With .CommandType = adCmdText .CommandText = sSQL Set rs = .Execute End If End With If Not rs.EOF Then With ActiveSheet.Range(sDestRange) If bolShowFieldNames Then 'write field names as column headers For Each fld In rs.Fields .Offset(0, IngOffset).Value = fld.Name lngOffset = lngOffset + 1Next fld End If End With 'copy the rest of the records one row below the headers

continued on page 14

ActiveSheet.Range(sDestRange).Offset(1, 0).CopyFromRecordset rs ActiveSheet.UsedRange.EntireColumn.AutoFit Else MsgBox "Error: No records read", vbCritical End If Range(sDestRange).Select MsgBox "Done!" & vbCrLf & "Elapsed time = " & Timer - IngStartTime & " seconds" ExitRoutine: rs.Close cn.Close Set cn = Nothing Set rs = Nothing Set cmd = Nothing

End Sub 'CopyFromXLDatabaseADO

This Sub should be usable for many situations. Note however that for readability of the sample code, I removed a lot of error checking. You will want to add error checking in various portions of the Sub. Since this approach uses ADO for the data access, you can also use it to query Access databases, Oracle databases, etc. with a mere change of the Provider string. In practice, I have written a longer version of this macro that determines the source type from parameters I set and changes the provider string accordingly (a future article). Rather than get complicated here though, let's just go ahead and try an application showing how you might make use of the supplied Sub.

Let's create a very simple calling routine:

SubTest\_CopyFromXLDatabase()

CopyFromXLDatabaseADOThisWorkbook.Name, "SQL\_Example", "Example\_Output" End Sub 'Test\_CopyFromXLDatabase

This tells the Sub CopyFromXLDatabase to look in the current workbook (we could also refer to any other workbook) for the Range Name "SQL\_Example." Then, it reads down the column from cell SQL\_Example and builds the SQL query until it encounters a cell that is blank. The final set of results is then copied to the Excel spreadsheet "Example\_Output."

All of this looks OK, but obviously nothing is going to happen unless we actually have a range named "SQL\_Example" somewhere in the workbook. Let's assume we have a simple workbook with just three worksheets in it. I'll name my three sheets Example\_Source, SQL and Example\_output.

In Example\_Source we'll place our tables. Assume we have two tables of data as shown in Figure 1 on page 15.

Note that I have the Applicants table highlighted. Likewise, I named the Apps table (cells G4 through 125) "Apps." The easy way to accomplish this naming process is to highlight the desired area with your mouse, then type the desired Range name in the input box just above cell A1. In this screen shot you can see Applicants in this input box.

Next, we look at the SQL sheet, Figure 2 on page 15.

Cell A4 on this sheet is the one I named SQL\_Example. I also made sure I have another sheet for my output. This one is named Example\_Output.

Everything is in place. Now, let's run the macro (Figure 3, page 15).

Clicking on <u>T</u>ools, <u>Macro then Macros</u> (or just pressing the shortcut key Alt-F8), we see a list of the macros available (in this case just the one test macro).

Run the macro Test\_CopyFromXLDatabase and voila! You have the SQL query output right away on the Example\_Output sheet. (Figure 4, page 16).

Microsoft Excel - Excel SQL xls															
B) Elle Edit View Insert Format Iools Data Window Help □ D 22 D - D 12 D 23 D 20 V 3 Da 28 + √ 10 + C2 - (8 Σ + 2/4 X 1 100 - 20 - (2) -												Type a qu			
			B . 0	K7 = C4 =	ώ.Σ.	41 31	<b>in </b> 🔼 100	* • ?							
		Security 者 🛠	¥ % .			Arial		- 10 - H	IU		\$ 9	6 , .00	·00	: _ • 👌	• 🔺 • 📮
Applicants + ApplicantD															
	A	В	С	D	E	F	G	Н	1	J	K	L	M	N	0
1							-		-	-		-	-	-	
2	Auglicente Table						Roma Tabl								
3	Applicants Table	Name	Ano	Gender			Apps Table	FaceAmount	Product			-			
5	2	Jim Burns	35	Male			2	80000	WI	-					
6	6	Jane Summers	43	Female			5	100000	T10						
7	8	Mike Cello	45	Male			6	250000	WL						
8	10	John Dunn	39	Male			6	100000	I T10						
9	11	Abigail Barron	56	Female			10	230000	I WL						
10	31	Greg James	42	Male			10	165000	I T10						
11	35	Lucy Winthrup	51	Female			11	78500	I WL						
12	36	Alvin Clane	36	Male			31	241000	WL		_				
13	39	Tom Yarno	29	Male			35	45000	I WL						
14	43	Bill Wilkins	53	Male		-	36	67000	I WL					-	
15	46	Rick O'Grady	46	Male			- 39	98000	VVL T10	-		-			
10	47	Alan vvenrman	42	Male			39	20000			-				
10	45	Tom Chon	20	Male			42	500000	1 120						
19	ωz	Tom Chen		Iviale			46	39600	NA/L				-		
20						_	47	157000	W						
21							47	300000	T10						
22							49	280000	WL						
23							49	423000	T10						
24							49	100000	I T20						
25							52	75000	I WL						
26															
27															
100															

Figure 1

<u>Run</u>
Cancel
Step Into
Edit
Create
Delete
Options



### **Bigger and Better**

Let's face it. This is a very simple example. It's hardly worth writing a VBA Sub to accomplish this task. You could have obtained similar results with Excel's Data, Filter, Advanced Filter feature or with its built-in QueryBuilder (accessed via Data, Import External Data, New Database Query) capability.

I wrote (and use) the VBA approach for a couple of reasons. First, it allows me to get very flexible with my SQL statements—beyond the limits of the built-in Excel tools. In a report I wrote Note the Range Name "SQL\_Example" assigned to cell A4 of this sheet.

				/
	licrosoft Excel - Excel	SUL.xls		
	<u>File Edit View Ins</u>	ert Format	Iools Data	<u>W</u> indow <u>H</u>
		L. 🗸 🌶		1 12 + 13
	ta ta 2 5 Ka		Reply with	Changes Er
		1.	13 N/ 100	
	••/	ecurity	× 🕅 💊	-
SQ	L_Example 👻 🖌	<i>f</i> ∗ SELEC	Г	
	A B	C	D	E
1				
2		· · · ·		
3	Example: Selecting f	rom two tab	les on same s	sheet
4	SELECT			
5	ApplicantID as ID,			
6	Name,			
7	Age,			
8	Gender,			
9	Product as Plan,			
10	FaceAmount			
11	FROM			
12	Applicants,			
13	Apps			
14	WHERE			
15	ApplicantID = Appl	U		
16	AND FaceAmount	> 50000		
17	AND Age < 55			
10	URDER BI			
19	FaceAmount			
20				
22				
23				
20				
25				
26				
27				
28				
29				
30				
24				



	Eile	<u>E</u> dit <u>V</u> iew <u>I</u>	nsert	Format		<u>D</u> ata <u>W</u> indov	w <u>H</u> elp	÷		-	and the second		
	-		3 3	*** X		8 · 🖋 10 ·	CH +	. Σ -		100%	- ? .		
1	1	12266	0	<b>B</b>	** R	eply with Changes	End R	eview					
-			Secur	ity 👘	20	2 00 .			Arial		- 10 -	BIU	
	A	4 -	fx	ID									
	A	В	C	D	E	F	G	Н		J	K	L	
1	ID I	Name	Age	Gender	Plan	FaceAmount							
2	39	Tom Yarno	29	Male	T10	59000							
3	43	Bill Wilkins	53	Male	WL	64500							
4	36	Alvin Clane	36	Male	WL	67000							
5	2	Jim Burns	35	Male	WL	80000							
6	39	Tom Yarno	29	Male	WL	98000							
7	6	Jane Summers	43	Female	T10	100000							
8	10	John Dunn	39	Male	T10	165000							
9	10	John Dunn	39	Male	WL	230000							
10	31	Greg James	42	Male	WL	241000							
11	6	Jane Summers	43	Female	WL	250000							
12	39	Tom Yarno	29	Male	T20	300000							
13													
14													
15				2									
16													
17													
18									-	-	1		
19										Micro	soft Excel	<u>&gt;</u>	
20										Dor	al		
21							End Review	484375 seconds					
22													
23								-			OK		
24							_					_	
25											2		
26									-				

Figure 4

for one of our foreign offices in Asia, I use a SQL query more than 100 lines long that involves a 16-table join with dozens of special criteria. Second, I like the fact that once I debug my routine on a small scale against an Excel or Access database, I can just change the provider string in my Sub and use exactly the same SQL and VBA code to scale this up to a huge Oracle database.

In my presentation on relational databases at the SOA Annual Meeting in Orlando last year, I showed a video of how much faster a big chainsaw can cut a big black walnut log than an electric circular saw or a hand-held scroll saw can. In the beginning of the video though, I show that if you use the chainsaw the same way you use a handsaw, by rubbing it back and forth against the wood, it gives very disappointing results. My point here is that the bigger database tools, like Oracle and SQL Server, have a serious learning curve associated with their efficient usage. The actuary does not have to become a database administrator (DBA) in order to intelligently prototype a large database project. Excel, supplemented with VBA and ADO, provides a very convenient tool for trying out your ideas, and also gives you a scalable solution you can later turn over to your IT associates as a working set of specifications for the big tool implementation.

Happy prototyping! 💻



475 N. Martingale Suite 600 • Schaumburg, IL • 60173 • www.soa.org