

VII

Analysis of Most Frequent Diagnoses and Analysis of Total Charges by Diagnosis Category, Age, and Gender

TABLE VII-1
ICD-9-CM CODES AND DISEASE CLASSIFICATIONS FOR SECTION VII

ICD-9-CM	DISEASE	RANK COMBINED
153	Malignant neoplasm of colon	23
162	Malignant neoplasm of trachea, bronchus and lung	8
174	Malignant neoplasm of female breast	6
185	Malignant neoplasm of prostate	14
197	Secondary malignant neoplasm of respiratory and digestive systems	25
198	Secondary malignant neoplasm of other specified sites	21
250	Diabetes mellitus	22
296	Affective psychosis	4
300	Neurotic disorders	10
303	Alcohol dependence syndrome	30
410	Acute myocardial infarction	2
411	Other acute and subacute forms of ischemic heart disease	3
414	Other forms of chronic ischemic heart disease	1
424	Mitral valve disorder	27
427	Cardiac dysrhythmias	17
428	Heart failure	20
486	Pneumonia, organism unspecified	18
560	Intestinal obstruction	26
574	Cholelithiasis	13
585	Chronic renal failure	11
592	Calculus of kidney and ureter	24
715	Osteoarthritis and allied disorders	5
722	Intervertebral disc disorders	7
724	Other and unspecified disorders of the back	29

TABLE VII-1—Continued
ICD-9-CM CODES AND DISEASE CLASSIFICATIONS FOR SECTION VII

765	Disorders related to short gestation and unspecified low birthweight	12
780	General symptoms	19
786	Symptoms involving respiratory system and other chest symptoms	16
799	Other ill-defined and unknown causes of morbidity and mortality	15
996	Complications peculiar to certain specified procedures (cardiac implant, transplant, etc.)	9
V30	Single liveborn	28

TABLE VII-2
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 414 Combined Rank : 1.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	1,361	1,598	\$44,216,231	\$51,608,726
\$40,000	\$55,000	1,216	1,443	\$57,386,577	\$67,923,070
\$55,000	\$70,000	643	821	\$39,726,602	\$50,546,745
\$70,000	\$85,000	276	425	\$21,112,504	\$32,379,385
\$85,000	\$100,000	167	221	\$15,395,850	\$20,322,086
\$100,000	\$120,000	130	132	\$14,111,222	\$14,458,182
\$120,000	\$150,000	66	96	\$8,855,109	\$12,782,513
\$150,000	\$200,000	49	54	\$8,378,168	\$9,072,142
\$200,000	\$250,000	14	13	\$3,003,176	\$2,911,997
\$250,000	\$300,000	9	15	\$2,459,061	\$4,162,724
\$300,000	\$400,000	5	8	\$1,777,968	\$2,748,477
\$400,000	\$500,000	3	3	\$1,300,743	\$1,285,743
\$500,000	\$750,000	0	4	\$0	\$2,209,133
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	1	0	\$1,075,000	\$0
Totals		3,940	4,833	\$218,798,211	\$272,410,923
Averages				\$55,533	\$56,365

Diagnosis (ICD-9): 410 Combined Rank : 2.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	1,316	1,679	\$41,436,756	\$53,127,479
\$40,000	\$55,000	694	923	\$32,598,113	\$43,223,126
\$55,000	\$70,000	420	529	\$25,886,191	\$32,586,229
\$70,000	\$85,000	187	284	\$14,375,605	\$21,812,727
\$85,000	\$100,000	91	155	\$8,350,900	\$14,149,093
\$100,000	\$120,000	64	112	\$7,009,056	\$12,254,503
\$120,000	\$150,000	58	79	\$7,719,868	\$10,413,562
\$150,000	\$200,000	31	47	\$5,214,370	\$7,932,013
\$200,000	\$250,000	11	18	\$2,352,527	\$4,060,597
\$250,000	\$300,000	3	4	\$817,510	\$1,134,601
\$300,000	\$400,000	4	7	\$1,371,592	\$2,453,063
\$400,000	\$500,000	2	3	\$862,543	\$1,369,652
\$500,000	\$750,000	0	3	\$0	\$1,903,764
\$750,000	\$1,000,000	2	0	\$1,598,421	\$0
\$1,000,000	\$10,000,000	0	1	\$0	\$1,167,451
Totals		2,883	3,844	\$149,593,451	\$207,587,860
Averages				\$51,888	\$54,003

TABLE VII-2—Continued

THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 411 Combined Rank : 3.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	795	1,025	\$25,546,961	\$32,662,535
\$40,000	\$55,000	679	802	\$31,727,092	\$37,731,500
\$55,000	\$70,000	361	459	\$22,278,316	\$28,179,319
\$70,000	\$85,000	177	229	\$13,554,825	\$17,621,768
\$85,000	\$100,000	80	134	\$7,326,361	\$12,210,266
\$100,000	\$120,000	45	73	\$4,886,914	\$7,883,779
\$120,000	\$150,000	29	55	\$3,831,118	\$7,289,347
\$150,000	\$200,000	18	30	\$3,119,145	\$5,105,643
\$200,000	\$250,000	3	8	\$668,371	\$1,806,225
\$250,000	\$300,000	5	2	\$1,356,082	\$555,322
\$300,000	\$400,000	2	4	\$684,244	\$1,381,869
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	1	2	\$635,211	\$1,133,522
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		2,195	2,823	\$115,614,639	\$153,561,096
Averages				\$52,672	\$54,396

Diagnosis (ICD-9): 296 Combined Rank : 4.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	1,564	1,724	\$48,485,995	\$53,304,659
\$40,000	\$55,000	414	480	\$19,089,209	\$22,142,605
\$55,000	\$70,000	170	151	\$10,531,518	\$9,210,585
\$70,000	\$85,000	83	59	\$6,423,202	\$4,466,919
\$85,000	\$100,000	38	37	\$3,500,716	\$3,401,852
\$100,000	\$120,000	28	17	\$3,076,005	\$1,795,924
\$120,000	\$150,000	14	12	\$1,878,164	\$1,595,987
\$150,000	\$200,000	14	8	\$2,334,700	\$1,350,375
\$200,000	\$250,000	3	5	\$692,237	\$1,110,084
\$250,000	\$300,000	1	0	\$267,819	\$0
\$300,000	\$400,000	1	0	\$310,519	\$0
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		2,330	2,493	\$96,590,083	\$98,378,991
Averages				\$41,455	\$39,462

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 715 Combined Rank : 5.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	974	1,417	\$30,180,900	\$44,256,513
\$40,000	\$55,000	247	368	\$11,290,756	\$16,918,829
\$55,000	\$70,000	107	147	\$6,636,637	\$8,995,327
\$70,000	\$85,000	33	44	\$2,524,717	\$3,364,325
\$85,000	\$100,000	15	21	\$1,389,928	\$1,939,133
\$100,000	\$120,000	8	5	\$868,680	\$537,489
\$120,000	\$150,000	6	2	\$827,753	\$248,343
\$150,000	\$200,000	7	3	\$1,212,189	\$477,737
\$200,000	\$250,000	0	0	\$0	\$0
\$250,000	\$300,000	0	2	\$0	\$543,915
\$300,000	\$400,000	0	0	\$0	\$0
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		1,397	2,009	\$54,931,561	\$77,281,609
Averages				\$39,321	\$38,468

Diagnosis (ICD-9): 174 Combined Rank : 6.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	890	1,233	\$27,346,726	\$38,603,856
\$40,000	\$55,000	246	410	\$11,356,357	\$18,957,334
\$55,000	\$70,000	92	155	\$5,696,782	\$9,561,546
\$70,000	\$85,000	35	69	\$2,687,155	\$5,333,272
\$85,000	\$100,000	29	38	\$2,695,543	\$3,463,431
\$100,000	\$120,000	24	38	\$2,613,661	\$4,164,622
\$120,000	\$150,000	16	33	\$2,079,042	\$4,335,142
\$150,000	\$200,000	14	26	\$2,400,097	\$4,431,868
\$200,000	\$250,000	8	13	\$1,823,152	\$2,861,171
\$250,000	\$300,000	3	10	\$858,333	\$2,750,664
\$300,000	\$400,000	4	4	\$1,308,672	\$1,433,276
\$400,000	\$500,000	2	2	\$835,781	\$866,743
\$500,000	\$750,000	1	1	\$576,680	\$521,831
\$750,000	\$1,000,000	0	1	\$0	\$752,606
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		1,364	2,033	\$62,277,983	\$98,037,361
Averages				\$45,658	\$48,223

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 722 Combined Rank : 7.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	881	1,475	\$26,570,177	\$44,966,555
\$40,000	\$55,000	245	373	\$11,355,127	\$17,273,556
\$55,000	\$70,000	80	133	\$4,873,232	\$8,158,251
\$70,000	\$85,000	35	48	\$2,682,164	\$3,649,758
\$85,000	\$100,000	10	26	\$923,228	\$2,415,569
\$100,000	\$120,000	5	8	\$541,668	\$878,906
\$120,000	\$150,000	4	4	\$532,599	\$519,514
\$150,000	\$200,000	2	2	\$317,187	\$332,800
\$200,000	\$250,000	1	1	\$207,182	\$210,754
\$250,000	\$300,000	1	0	\$280,530	\$0
\$300,000	\$400,000	1	0	\$329,731	\$0
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		1,265	2,070	\$48,612,825	\$78,405,665
Averages				\$38,429	\$37,877

Diagnosis (ICD-9): 162 Combined Rank : 8.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	571	698	\$18,284,586	\$22,314,798
\$40,000	\$55,000	329	440	\$15,370,742	\$20,595,073
\$55,000	\$70,000	191	229	\$11,828,821	\$14,257,094
\$70,000	\$85,000	99	140	\$7,593,175	\$10,729,605
\$85,000	\$100,000	60	80	\$5,501,198	\$7,361,173
\$100,000	\$120,000	37	65	\$4,033,954	\$7,048,408
\$120,000	\$150,000	31	58	\$4,181,955	\$7,640,854
\$150,000	\$200,000	18	22	\$3,020,833	\$3,753,014
\$200,000	\$250,000	8	12	\$1,743,200	\$2,765,743
\$250,000	\$300,000	2	2	\$563,476	\$533,859
\$300,000	\$400,000	2	3	\$659,963	\$997,311
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	1	\$0	\$969,197
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		1,348	1,750	\$72,781,903	\$98,966,129
Averages				\$53,9⁰³	\$56,552

TABLE VII-2—Continued

THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 996

Combined Rank : 9.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	409	518	\$12,878,580	\$16,304,527
\$40,000	\$55,000	221	318	\$10,481,302	\$14,812,255
\$55,000	\$70,000	136	195	\$8,390,931	\$12,148,447
\$70,000	\$85,000	81	123	\$6,252,820	\$9,486,136
\$85,000	\$100,000	54	75	\$4,983,403	\$6,921,209
\$100,000	\$120,000	41	68	\$4,441,052	\$7,440,271
\$120,000	\$150,000	41	47	\$5,445,880	\$6,232,813
\$150,000	\$200,000	29	51	\$5,094,194	\$8,814,480
\$200,000	\$250,000	7	14	\$1,589,679	\$3,147,699
\$250,000	\$300,000	6	11	\$1,689,369	\$2,968,868
\$300,000	\$400,000	7	11	\$2,451,060	\$3,690,275
\$400,000	\$500,000	2	3	\$945,107	\$1,333,787
\$500,000	\$750,000	0	5	\$0	\$2,918,955
\$750,000	\$1,000,000	1	1	\$970,404	\$753,979
\$1,000,000	\$10,000,000	0	2	\$0	\$2,196,456
Totals		1,035	1,442	\$65,613,780	\$99,170,156
Averages				\$63,395	\$68,773

Diagnosis (ICD-9): 300

Combined Rank : 10.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	689	512	\$21,525,965	\$15,976,085
\$40,000	\$55,000	307	216	\$14,276,925	\$10,075,346
\$55,000	\$70,000	143	97	\$8,849,227	\$5,977,180
\$70,000	\$85,000	69	50	\$5,186,945	\$3,823,395
\$85,000	\$100,000	29	19	\$2,649,157	\$1,741,560
\$100,000	\$120,000	17	21	\$1,846,051	\$2,302,029
\$120,000	\$150,000	11	12	\$1,473,931	\$1,548,387
\$150,000	\$200,000	6	6	\$1,050,087	\$987,373
\$200,000	\$250,000	3	1	\$688,313	\$236,605
\$250,000	\$300,000	2	1	\$571,763	\$269,385
\$300,000	\$400,000	0	0	\$0	\$0
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		1,276	935	\$58,118,364	\$42,937,345
Averages				\$45,547	\$45,922

TABLE VII-2—Continued

THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 585

Combined Rank : 11.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	279	372	\$8,851,116	\$11,950,629
\$40,000	\$55,000	173	261	\$8,241,426	\$12,255,881
\$55,000	\$70,000	141	194	\$8,669,049	\$12,008,584
\$70,000	\$85,000	92	143	\$7,129,716	\$10,917,456
\$85,000	\$100,000	70	83	\$6,491,656	\$7,616,856
\$100,000	\$120,000	38	72	\$4,112,888	\$7,890,837
\$120,000	\$150,000	37	45	\$4,955,952	\$6,038,171
\$150,000	\$200,000	25	31	\$4,175,284	\$5,322,090
\$200,000	\$250,000	8	6	\$1,781,566	\$1,309,358
\$250,000	\$300,000	6	6	\$1,664,150	\$1,609,875
\$300,000	\$400,000	4	2	\$1,450,813	\$728,783
\$400,000	\$500,000	1	2	\$483,805	\$873,345
\$500,000	\$750,000	2	0	\$1,203,384	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	1	0	\$1,277,169	\$0
Totals		877	1,217	\$60,487,975	\$78,521,867
Averages				\$68,971	\$64,521

Diagnosis (ICD-9): 765

Combined Rank : 12.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	278	298	\$8,874,913	\$9,572,708
\$40,000	\$55,000	123	180	\$5,799,911	\$8,422,886
\$55,000	\$70,000	113	137	\$6,939,365	\$8,524,416
\$70,000	\$85,000	58	77	\$4,479,429	\$5,919,793
\$85,000	\$100,000	47	62	\$4,298,555	\$5,709,283
\$100,000	\$120,000	57	82	\$6,327,199	\$8,999,589
\$120,000	\$150,000	59	61	\$7,958,490	\$8,152,797
\$150,000	\$200,000	73	86	\$12,535,946	\$15,148,048
\$200,000	\$250,000	31	42	\$6,843,566	\$9,262,382
\$250,000	\$300,000	24	41	\$6,547,912	\$11,166,263
\$300,000	\$400,000	16	25	\$5,575,362	\$8,579,424
\$400,000	\$500,000	9	20	\$3,894,842	\$8,704,368
\$500,000	\$750,000	6	14	\$3,394,899	\$8,120,561
\$750,000	\$1,000,000	5	2	\$4,221,951	\$1,883,579
\$1,000,000	\$10,000,000	4	3	\$6,536,619	\$3,754,074
Totals		903	1,130	\$94,228,960	\$121,720,171
Averages				\$104,351	\$107,717

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 574

Combined Rank : 13.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	524	883	\$15,754,400	\$26,463,886
\$40,000	\$55,000	128	140	\$5,942,247	\$6,396,320
\$55,000	\$70,000	45	59	\$2,800,684	\$3,550,447
\$70,000	\$85,000	15	21	\$1,166,731	\$1,614,982
\$85,000	\$100,000	5	8	\$454,767	\$734,307
\$100,000	\$120,000	4	14	\$412,075	\$1,557,167
\$120,000	\$150,000	3	4	\$403,672	\$530,393
\$150,000	\$200,000	1	3	\$156,744	\$512,580
\$200,000	\$250,000	4	1	\$914,482	\$243,832
\$250,000	\$300,000	0	0	\$0	\$0
\$300,000	\$400,000	0	1	\$0	\$347,471
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	1	0	\$565,884	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		730	1,134	\$28,571,688	\$41,951,385
Averages				\$39,139	\$36,994

Diagnosis (ICD-9): 185

Combined Rank : 14.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	364	784	\$11,248,379	\$24,178,674
\$40,000	\$55,000	95	196	\$4,348,414	\$8,998,988
\$55,000	\$70,000	34	38	\$2,160,113	\$2,299,120
\$70,000	\$85,000	13	19	\$988,794	\$1,470,787
\$85,000	\$100,000	8	8	\$752,560	\$752,087
\$100,000	\$120,000	5	10	\$536,255	\$1,081,559
\$120,000	\$150,000	7	4	\$926,800	\$522,345
\$150,000	\$200,000	2	3	\$314,531	\$557,898
\$200,000	\$250,000	0	1	\$0	\$244,116
\$250,000	\$300,000	0	0	\$0	\$0
\$300,000	\$400,000	0	1	\$0	\$328,472
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		528	1,064	\$21,275,846	\$40,434,045
Averages				\$40,295	\$38,002

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 799 Combined Rank : 15.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	603	240	\$18,651,180	\$7,402,399
\$40,000	\$55,000	180	89	\$8,405,082	\$4,173,477
\$55,000	\$70,000	79	48	\$4,879,062	\$2,994,859
\$70,000	\$85,000	53	21	\$4,061,364	\$1,633,637
\$85,000	\$100,000	31	14	\$2,836,248	\$1,271,464
\$100,000	\$120,000	34	10	\$3,619,548	\$1,081,780
\$120,000	\$150,000	25	19	\$3,367,518	\$2,544,436
\$150,000	\$200,000	20	11	\$3,430,803	\$1,865,542
\$200,000	\$250,000	11	18	\$2,482,959	\$4,051,439
\$250,000	\$300,000	7	6	\$1,891,233	\$1,647,076
\$300,000	\$400,000	5	12	\$1,576,953	\$4,109,003
\$400,000	\$500,000	4	3	\$1,751,097	\$1,366,115
\$500,000	\$750,000	3	8	\$1,669,855	\$4,777,043
\$750,000	\$1,000,000	3	4	\$2,872,242	\$3,465,352
\$1,000,000	\$10,000,000	7	9	\$15,939,455	\$29,169,435
Totals		1,065	512	\$77,434,599	\$71,553,057
Averages				\$72,709	\$139,752

Diagnosis (ICD-9): 786 Combined Rank : 16.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	409	398	\$12,704,517	\$12,293,091
\$40,000	\$55,000	137	151	\$6,358,652	\$6,953,497
\$55,000	\$70,000	72	78	\$4,467,367	\$4,872,394
\$70,000	\$85,000	58	42	\$4,434,340	\$3,265,938
\$85,000	\$100,000	22	28	\$2,009,903	\$2,560,978
\$100,000	\$120,000	19	28	\$2,067,691	\$3,108,858
\$120,000	\$150,000	21	21	\$2,844,585	\$2,822,655
\$150,000	\$200,000	18	15	\$3,107,693	\$2,597,180
\$200,000	\$250,000	10	10	\$2,202,810	\$2,306,490
\$250,000	\$300,000	3	6	\$817,835	\$1,648,885
\$300,000	\$400,000	3	5	\$951,960	\$1,767,979
\$400,000	\$500,000	3	3	\$1,364,858	\$1,359,071
\$500,000	\$750,000	2	3	\$1,310,748	\$1,685,723
\$750,000	\$1,000,000	0	2	\$0	\$1,804,810
\$1,000,000	\$10,000,000	1	0	\$1,061,671	\$0
Totals		778	790	\$45,704,629	\$49,047,550
Averages				\$58,745	\$62,086

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 427

Combined Rank : 17.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	326	411	\$10,093,576	\$12,855,546
\$40,000	\$55,000	104	157	\$4,889,339	\$7,207,301
\$55,000	\$70,000	80	74	\$4,890,571	\$4,544,900
\$70,000	\$85,000	35	67	\$2,678,918	\$5,158,796
\$85,000	\$100,000	28	38	\$2,568,284	\$3,520,087
\$100,000	\$120,000	26	29	\$2,810,806	\$3,174,695
\$120,000	\$150,000	31	34	\$4,191,596	\$4,471,589
\$150,000	\$200,000	18	19	\$3,176,644	\$3,191,569
\$200,000	\$250,000	10	9	\$2,267,640	\$2,075,412
\$250,000	\$300,000	6	6	\$1,683,920	\$1,591,955
\$300,000	\$400,000	4	6	\$1,406,635	\$2,022,813
\$400,000	\$500,000	1	2	\$410,191	\$875,797
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		669	852	\$41,068,122	\$50,690,460
Averages				\$61,387	\$59,496

Diagnosis (ICD-9): 486

Combined Rank : 18.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	301	346	\$9,422,853	\$10,844,350
\$40,000	\$55,000	114	166	\$5,281,739	\$7,720,768
\$55,000	\$70,000	59	63	\$3,660,895	\$3,871,005
\$70,000	\$85,000	53	47	\$4,048,992	\$3,596,072
\$85,000	\$100,000	22	39	\$2,038,245	\$3,581,616
\$100,000	\$120,000	26	25	\$2,872,348	\$2,694,118
\$120,000	\$150,000	19	23	\$2,546,026	\$3,159,882
\$150,000	\$200,000	18	19	\$3,065,698	\$3,211,433
\$200,000	\$250,000	4	10	\$930,367	\$2,219,614
\$250,000	\$300,000	4	2	\$1,110,197	\$539,103
\$300,000	\$400,000	4	4	\$1,259,420	\$1,450,149
\$400,000	\$500,000	4	0	\$1,750,344	\$0
\$500,000	\$750,000	1	2	\$648,968	\$1,068,154
\$750,000	\$1,000,000	1	1	\$795,020	\$815,521
\$1,000,000	\$10,000,000	3	0	\$3,574,290	\$0
Totals		633	747	\$43,005,402	\$44,771,785
Averages				\$67,939	\$59,935

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 780 Combined Rank : 19.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	314	378	\$9,709,509	\$11,860,034
\$40,000	\$55,000	112	135	\$5,133,641	\$6,264,678
\$55,000	\$70,000	59	67	\$3,688,603	\$4,157,170
\$70,000	\$85,000	34	40	\$2,609,197	\$3,106,939
\$85,000	\$100,000	21	25	\$1,940,594	\$2,255,999
\$100,000	\$120,000	23	19	\$2,513,205	\$2,052,829
\$120,000	\$150,000	27	16	\$3,575,171	\$2,112,396
\$150,000	\$200,000	15	17	\$2,574,804	\$2,892,954
\$200,000	\$250,000	13	14	\$2,938,638	\$3,149,731
\$250,000	\$300,000	6	9	\$1,624,460	\$2,454,703
\$300,000	\$400,000	5	9	\$1,683,944	\$3,071,578
\$400,000	\$500,000	3	0	\$1,364,342	\$0
\$500,000	\$750,000	3	3	\$1,900,290	\$1,801,842
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		635	732	\$41,256,400	\$45,180,853
Averages				\$64,971	\$61,722

Diagnosis (ICD-9): 428 Combined Rank : 20.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	213	344	\$6,552,381	\$10,790,583
\$40,000	\$55,000	121	172	\$5,760,927	\$8,033,576
\$55,000	\$70,000	44	89	\$2,708,717	\$5,508,854
\$70,000	\$85,000	45	53	\$3,506,283	\$4,059,994
\$85,000	\$100,000	33	32	\$2,992,413	\$2,928,845
\$100,000	\$120,000	29	36	\$3,147,291	\$3,959,700
\$120,000	\$150,000	30	29	\$4,068,059	\$3,824,932
\$150,000	\$200,000	19	22	\$3,253,015	\$3,688,178
\$200,000	\$250,000	6	9	\$1,357,328	\$1,991,317
\$250,000	\$300,000	8	6	\$2,130,840	\$1,686,741
\$300,000	\$400,000	4	6	\$1,332,097	\$1,993,314
\$400,000	\$500,000	2	3	\$850,444	\$1,345,371
\$500,000	\$750,000	0	1	\$0	\$706,511
\$750,000	\$1,000,000	0	1	\$0	\$847,017
\$1,000,000	\$10,000,000	0	2	\$0	\$2,584,112
Totals		554	805	\$37,659,795	\$53,949,045
Averages				\$67,978	\$67,017

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 198

Combined Rank : 21.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	219	256	\$6,947,441	\$8,187,849
\$40,000	\$55,000	111	155	\$5,174,800	\$7,329,976
\$55,000	\$70,000	80	100	\$4,905,031	\$6,185,491
\$70,000	\$85,000	45	73	\$3,444,811	\$5,649,082
\$85,000	\$100,000	38	42	\$3,289,047	\$3,852,750
\$100,000	\$120,000	17	42	\$1,851,260	\$4,639,510
\$120,000	\$150,000	23	32	\$3,004,707	\$4,336,061
\$150,000	\$200,000	23	32	\$3,936,664	\$5,471,091
\$200,000	\$250,000	5	11	\$1,106,803	\$2,476,695
\$250,000	\$300,000	2	10	\$562,057	\$2,746,427
\$300,000	\$400,000	0	4	\$0	\$1,309,301
\$400,000	\$500,000	0	3	\$0	\$1,344,700
\$500,000	\$750,000	0	1	\$0	\$590,908
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		561	761	\$34,222,620	\$54,119,842
Averages				\$61,003	\$71,117

Diagnosis (ICD-9): 250

Combined Rank : 22.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	259	315	\$8,121,988	\$9,877,506
\$40,000	\$55,000	104	135	\$4,776,215	\$6,320,580
\$55,000	\$70,000	53	86	\$3,288,369	\$5,329,878
\$70,000	\$85,000	48	39	\$3,712,113	\$2,994,491
\$85,000	\$100,000	27	26	\$2,504,410	\$2,363,340
\$100,000	\$120,000	25	32	\$2,723,626	\$3,489,546
\$120,000	\$150,000	19	21	\$2,608,292	\$2,829,114
\$150,000	\$200,000	22	28	\$3,725,204	\$4,792,505
\$200,000	\$250,000	6	8	\$1,349,983	\$1,750,494
\$250,000	\$300,000	4	1	\$1,097,918	\$263,305
\$300,000	\$400,000	2	2	\$717,822	\$680,920
\$400,000	\$500,000	1	0	\$409,636	\$0
\$500,000	\$750,000	1	1	\$553,304	\$574,890
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		571	694	\$35,588,880	\$41,266,569
Averages				\$62,327	\$59,462

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 153 Combined Rank : 23.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	258	369	\$8,037,008	\$11,646,101
\$40,000	\$55,000	128	187	\$5,923,319	\$8,660,446
\$55,000	\$70,000	55	73	\$3,423,297	\$4,524,453
\$70,000	\$85,000	30	35	\$2,333,416	\$2,695,684
\$85,000	\$100,000	14	23	\$1,271,112	\$2,105,458
\$100,000	\$120,000	13	20	\$1,422,882	\$2,180,227
\$120,000	\$150,000	8	14	\$1,053,653	\$1,877,432
\$150,000	\$200,000	7	7	\$1,196,468	\$1,208,585
\$200,000	\$250,000	3	3	\$623,417	\$665,301
\$250,000	\$300,000	1	2	\$286,275	\$539,979
\$300,000	\$400,000	1	0	\$341,490	\$0
\$400,000	\$500,000	1	2	\$487,917	\$853,720
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		519	735	\$26,400,253	\$36,957,386
Averages				\$50,868	\$50,282

Diagnosis (ICD-9): 592 Combined Rank : 24.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	375	546	\$11,323,156	\$16,668,580
\$40,000	\$55,000	65	108	\$2,989,929	\$4,979,104
\$55,000	\$70,000	25	23	\$1,535,135	\$1,406,673
\$70,000	\$85,000	8	13	\$610,601	\$975,747
\$85,000	\$100,000	4	2	\$363,661	\$187,120
\$100,000	\$120,000	2	2	\$205,456	\$220,746
\$120,000	\$150,000	1	3	\$132,242	\$405,113
\$150,000	\$200,000	4	0	\$644,203	\$0
\$200,000	\$250,000	0	1	\$0	\$235,805
\$250,000	\$300,000	0	0	\$0	\$0
\$300,000	\$400,000	0	0	\$0	\$0
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		484	698	\$17,804,384	\$25,078,888
Averages				\$36,780	\$35,930

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 197

Combined Rank : 25.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	183	221	\$5,898,573	\$7,140,439
\$40,000	\$55,000	121	146	\$5,622,808	\$6,766,823
\$55,000	\$70,000	61	93	\$3,764,564	\$5,837,609
\$70,000	\$85,000	39	49	\$2,986,851	\$3,755,574
\$85,000	\$100,000	21	46	\$1,943,809	\$4,258,638
\$100,000	\$120,000	19	36	\$2,058,036	\$3,968,832
\$120,000	\$150,000	19	25	\$2,557,395	\$3,371,935
\$150,000	\$200,000	18	20	\$3,009,825	\$3,425,637
\$200,000	\$250,000	1	14	\$237,925	\$3,160,660
\$250,000	\$300,000	4	2	\$1,118,240	\$531,787
\$300,000	\$400,000	2	5	\$689,445	\$1,820,911
\$400,000	\$500,000	0	1	\$0	\$448,500
\$500,000	\$750,000	0	1	\$0	\$595,559
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		488	659	\$29,887,469	\$45,082,904
Averages				\$61,245	\$68,411

Diagnosis (ICD-9): 560

Combined Rank : 26.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	210	309	\$6,602,874	\$9,686,699
\$40,000	\$55,000	94	122	\$4,488,615	\$5,706,247
\$55,000	\$70,000	50	58	\$3,136,214	\$3,642,721
\$70,000	\$85,000	30	36	\$2,293,050	\$2,748,047
\$85,000	\$100,000	23	38	\$2,122,985	\$3,485,193
\$100,000	\$120,000	15	25	\$1,652,072	\$2,713,834
\$120,000	\$150,000	11	24	\$1,521,895	\$3,220,821
\$150,000	\$200,000	10	15	\$1,675,580	\$2,568,636
\$200,000	\$250,000	8	10	\$1,853,037	\$2,216,638
\$250,000	\$300,000	4	3	\$1,095,678	\$807,705
\$300,000	\$400,000	4	3	\$1,214,035	\$1,071,085
\$400,000	\$500,000	2	1	\$886,489	\$426,506
\$500,000	\$750,000	1	2	\$557,286	\$1,319,946
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		462	646	\$29,099,812	\$39,614,077
Averages				\$62,987	\$61,322

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 424

Combined Rank : 27.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	109	94	\$3,622,373	\$3,068,863
\$40,000	\$55,000	128	167	\$6,110,545	\$8,015,886
\$55,000	\$70,000	94	150	\$5,795,837	\$9,242,902
\$70,000	\$85,000	56	82	\$4,318,054	\$6,243,956
\$85,000	\$100,000	35	37	\$3,243,471	\$3,394,290
\$100,000	\$120,000	21	27	\$2,269,068	\$2,970,301
\$120,000	\$150,000	20	22	\$2,670,196	\$2,884,358
\$150,000	\$200,000	7	17	\$1,174,635	\$2,816,265
\$200,000	\$250,000	4	2	\$864,079	\$426,343
\$250,000	\$300,000	2	1	\$556,542	\$281,512
\$300,000	\$400,000	0	3	\$0	\$1,055,686
\$400,000	\$500,000	0	1	\$0	\$408,913
\$500,000	\$750,000	0	1	\$0	\$669,686
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		476	604	\$30,624,600	\$41,478,960
Averages				\$64,338	\$68,674

Diagnosis (ICD-9): V30

Combined Rank : 28.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	129	263	\$4,053,930	\$8,317,228
\$40,000	\$55,000	83	108	\$3,985,185	\$5,004,696
\$55,000	\$70,000	55	75	\$3,421,729	\$4,668,647
\$70,000	\$85,000	33	39	\$2,576,994	\$2,982,223
\$85,000	\$100,000	23	31	\$2,132,627	\$2,852,719
\$100,000	\$120,000	26	29	\$2,832,822	\$3,130,590
\$120,000	\$150,000	27	27	\$3,615,042	\$3,679,801
\$150,000	\$200,000	23	34	\$3,893,749	\$5,922,883
\$200,000	\$250,000	8	12	\$1,763,907	\$2,669,760
\$250,000	\$300,000	7	7	\$1,882,234	\$1,849,359
\$300,000	\$400,000	7	10	\$2,401,167	\$3,475,588
\$400,000	\$500,000	1	6	\$437,986	\$2,585,092
\$500,000	\$750,000	4	2	\$2,365,271	\$1,072,686
\$750,000	\$1,000,000	1	1	\$870,275	\$962,871
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		427	644	\$36,232,918	\$49,174,143
Averages				\$84,855	\$76,357

TABLE VII-2—Continued
THIRTY MOST FREQUENTLY OCCURRING DIAGNOSES BY RANGE
OF CLAIMANT TOTAL CHARGES BY NUMBER OF CLAIMANTS, TOTAL AND AVERAGE CHARGES
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991 AND 1992

Diagnosis (ICD-9): 724 Combined Rank : 29.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	304	352	\$9,500,053	\$10,907,948
\$40,000	\$55,000	91	128	\$4,230,451	\$5,943,555
\$55,000	\$70,000	40	56	\$2,452,739	\$3,514,873
\$70,000	\$85,000	12	18	\$941,385	\$1,348,637
\$85,000	\$100,000	9	12	\$831,160	\$1,137,132
\$100,000	\$120,000	3	10	\$332,230	\$1,126,075
\$120,000	\$150,000	11	7	\$1,477,250	\$949,900
\$150,000	\$200,000	1	3	\$166,801	\$489,040
\$200,000	\$250,000	2	2	\$425,457	\$416,301
\$250,000	\$300,000	0	1	\$0	\$253,111
\$300,000	\$400,000	1	1	\$316,874	\$378,587
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		474	590	\$20,674,400	\$26,465,160
Averages				\$43,617	\$44,856

Diagnosis (ICD-9): 303 Combined Rank : 30.00

Minimum Total Charge per Claimant	Maximum Total Charge per Claimant	Claimants in Range 1991	Claimants in Range 1992	Total Charges in Range 1991	Total Charges in Range 1992
\$25,000	\$40,000	385	390	\$11,900,864	\$11,890,207
\$40,000	\$55,000	93	85	\$4,270,362	\$3,972,068
\$55,000	\$70,000	33	22	\$2,023,395	\$1,339,309
\$70,000	\$85,000	16	10	\$1,195,760	\$771,332
\$85,000	\$100,000	3	1	\$278,725	\$87,264
\$100,000	\$120,000	9	1	\$973,261	\$102,208
\$120,000	\$150,000	1	1	\$125,412	\$141,296
\$150,000	\$200,000	3	1	\$495,659	\$190,245
\$200,000	\$250,000	1	0	\$241,941	\$0
\$250,000	\$300,000	0	0	\$0	\$0
\$300,000	\$400,000	0	0	\$0	\$0
\$400,000	\$500,000	0	0	\$0	\$0
\$500,000	\$750,000	0	0	\$0	\$0
\$750,000	\$1,000,000	0	0	\$0	\$0
\$1,000,000	\$10,000,000	0	0	\$0	\$0
Totals		544	511	\$21,505,379	\$18,493,929
Averages				\$39,532	\$36,192

TABLE VII-3
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 0

Age Less Than : 2

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
680	709	Skin Disorders	1	0.0 %	\$35,375	0.0 %	\$35,375
290	319	Mental Disorders, Drug, Alcohol	3	0.1 %	\$91,584	0.0 %	\$30,528
630	679	Pregnancy & Childbirth	5	0.2 %	\$540,689	0.3 %	\$108,138
580	629	Genitourinary System	9	0.4 %	\$660,758	0.3 %	\$73,418
710	739	Skeleton & Muscle System	9	0.4 %	\$709,291	0.4 %	\$78,810
360	389	Sense Organs	11	0.5 %	\$911,459	0.5 %	\$82,880
280	289	Blood Related Disorders	10	0.5 %	\$1,001,064	0.5 %	\$100,106
240	279	Endocrine & Metabolic Disorders	20	1.0 %	\$2,074,171	1.1 %	\$103,709
001	139	Infectious & Parasitic Disease	26	1.3 %	\$2,172,697	1.1 %	\$84,335
320	359	Nervous System	29	1.4 %	\$2,230,875	1.2 %	\$76,927
		Unknown Diagnosis	32	1.5 %	\$2,399,890	1.2 %	\$74,997
390	459	Circulatory System	31	1.5 %	\$2,436,364	1.3 %	\$78,592
140	239	Malignant Neoplasms	43	2.1 %	\$3,715,205	1.9 %	\$86,400
800	999	Injury & Poisoning	50	2.4 %	\$4,458,971	2.3 %	\$89,179
460	519	Respiratory System	97	4.7 %	\$7,145,071	3.7 %	\$73,661
780	799	Symptoms & Ill-Defined Condition	83	4.0 %	\$7,534,134	3.9 %	\$90,773
520	579	Digestive System	61	2.9 %	\$8,358,328	4.3 %	\$137,022
V00	V83	Health Status or Service	250	12.0 %	\$22,630,774	11.7 %	\$90,523
740	779	Congenital & Perinatal	1,309	63.0 %	\$124,437,025	64.3 %	\$95,063
Totals for Gender			2,079		\$193,563,725		\$93,104

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 0

Age Less Than : 2

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
680	709	Skin Disorders	1	0.1 %	\$44,148	0.0 %	\$44,148
290	319	Mental Disorders, Drug, Alcohol	3	0.2 %	\$122,871	0.1 %	\$40,957
710	739	Skeleton & Muscle System	6	0.3 %	\$267,425	0.2 %	\$44,571
630	679	Pregnancy & Childbirth	3	0.2 %	\$487,895	0.3 %	\$162,632
240	279	Endocrine & Metabolic Disorders	11	0.6 %	\$775,980	0.5 %	\$70,544
580	629	Genitourinary System	12	0.7 %	\$866,020	0.5 %	\$72,168
280	289	Blood Related Disorders	9	0.5 %	\$1,247,365	0.8 %	\$138,596
001	139	Infectious & Parasitic Disease	23	1.3 %	\$1,628,314	1.0 %	\$70,796
360	389	Sense Organs	11	0.6 %	\$1,733,625	1.1 %	\$157,602
		Unknown Diagnosis	37	2.0 %	\$2,402,385	1.5 %	\$64,929
800	999	Injury & Poisoning	39	2.2 %	\$2,698,406	1.7 %	\$69,190
390	459	Circulatory System	28	1.5 %	\$2,734,973	1.7 %	\$97,678
140	239	Malignant Neoplasms	39	2.2 %	\$3,087,118	1.9 %	\$79,157
320	359	Nervous System	38	2.1 %	\$3,723,320	2.3 %	\$97,982
460	519	Respiratory System	58	3.2 %	\$5,148,352	3.2 %	\$88,765
520	579	Digestive System	48	2.7 %	\$5,371,718	3.3 %	\$111,911
780	799	Symptoms & Ill-Defined Condition	77	4.3 %	\$8,192,334	5.0 %	\$106,394
V00	V83	Health Status or Service	232	12.8 %	\$20,402,299	12.5 %	\$87,941
740	779	Congenital & Perinatal	1,135	62.7 %	\$101,879,453	62.6 %	\$89,762
Totals for Gender			1,810		\$162,814,000		\$89,952
Totals for Age Range			3,889		\$358,377,725		\$91,637

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 2

Age Less Than : 18

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
630	679	Pregnancy & Childbirth	2	0.1 %	\$250,087	0.1 %	\$125,044
680	709	Skin Disorders	10	0.3 %	\$552,330	0.3 %	\$55,233
		Unknown Diagnosis	15	0.5 %	\$971,760	0.5 %	\$64,784
360	389	Sense Organs	38	1.3 %	\$1,664,843	0.9 %	\$43,812
580	629	Genitourinary System	43	1.5 %	\$2,854,810	1.6 %	\$66,391
V00	V83	Health Status or Service	52	1.8 %	\$3,339,212	1.9 %	\$64,216
001	139	Infectious & Parasitic Disease	32	1.1 %	\$3,696,750	2.1 %	\$115,523
390	459	Circulatory System	81	2.8 %	\$4,414,264	2.4 %	\$54,497
280	289	Blood Related Disorders	72	2.5 %	\$5,269,017	2.9 %	\$73,181
710	739	Skeleton & Muscle System	124	4.2 %	\$6,663,323	3.7 %	\$53,736
460	519	Respiratory System	107	3.7 %	\$7,012,132	3.9 %	\$65,534
240	279	Endocrine & Metabolic Disorders	151	5.2 %	\$7,584,300	4.2 %	\$50,227
320	359	Nervous System	106	3.6 %	\$7,970,217	4.4 %	\$75,191
520	579	Digestive System	120	4.1 %	\$8,635,104	4.8 %	\$71,959
780	799	Symptoms & Ill-Defined Condition	123	4.2 %	\$9,513,505	5.3 %	\$77,346
740	779	Congenital & Perinatal	261	8.9 %	\$16,398,306	9.1 %	\$62,829
140	239	Malignant Neoplasms	232	7.9 %	\$25,026,839	13.9 %	\$107,874
800	999	Injury & Poisoning	410	14.0 %	\$26,106,942	14.5 %	\$63,675
290	319	Mental Disorders, Drug, Alcohol	952	32.5 %	\$42,335,607	23.5 %	\$44,470
Totals for Gender			2,931		\$180,259,349		\$61,501

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 2

Age Less Than : 18

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
680	709	Skin Disorders	13	0.5 %	\$699,500	0.4 %	\$53,808
630	679	Pregnancy & Childbirth	15	0.5 %	\$702,534	0.4 %	\$46,836
		Unknown Diagnosis	11	0.4 %	\$799,238	0.5 %	\$72,858
360	389	Sense Organs	36	1.3 %	\$1,644,004	1.0 %	\$45,667
390	459	Circulatory System	58	2.1 %	\$3,289,806	1.9 %	\$56,721
V00	V83	Health Status or Service	38	1.3 %	\$3,367,009	2.0 %	\$88,606
580	629	Genitourinary System	64	2.3 %	\$3,547,248	2.1 %	\$55,428
001	139	Infectious & Parasitic Disease	54	1.9 %	\$3,881,241	2.3 %	\$71,875
280	289	Blood Related Disorders	48	1.7 %	\$3,932,565	2.3 %	\$81,928
240	279	Endocrine & Metabolic Disorders	123	4.4 %	\$6,204,716	3.7 %	\$50,445
710	739	Skeleton & Muscle System	181	6.4 %	\$7,278,134	4.3 %	\$40,211
460	519	Respiratory System	126	4.5 %	\$8,093,194	4.8 %	\$64,232
780	799	Symptoms & Ill-Defined Condition	115	4.1 %	\$8,344,058	4.9 %	\$72,557
520	579	Digestive System	132	4.7 %	\$8,416,277	5.0 %	\$63,760
320	359	Nervous System	108	3.8 %	\$10,261,597	6.0 %	\$95,015
740	779	Congenital & Perinatal	253	9.0 %	\$16,597,932	9.8 %	\$65,604
800	999	Injury & Poisoning	279	9.9 %	\$19,759,507	11.6 %	\$70,823
140	239	Malignant Neoplasms	222	7.9 %	\$21,922,001	12.9 %	\$98,748
290	319	Mental Disorders, Drug, Alcohol	943	33.5 %	\$40,972,275	24.1 %	\$43,449
Totals for Gender			2,819		\$169,712,837		\$60,203

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 2

Age Less Than : 18

Gender : Blank Field

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
390	459	Circulatory System	1	50.0 %	\$35,324	34.1 %	\$35,324
740	779	Congenital & Perinatal	1	50.0 %	\$68,378	65.9 %	\$68,378
Totals for Gender			2		\$103,702		\$51,851
Totals for Age Range			5,752		\$350,075,888		\$60,862

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 18

Age Less Than : 65

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
630	679	Pregnancy & Childbirth	167	0.6 %	\$6,095,440	0.4 %	\$36,500
		Unknown Diagnosis	132	0.4 %	\$10,418,525	0.6 %	\$78,928
740	779	Congenital & Perinatal	188	0.6 %	\$10,507,335	0.6 %	\$55,890
360	389	Sense Organs	241	0.8 %	\$11,585,713	0.7 %	\$48,073
680	709	Skin Disorders	263	0.9 %	\$14,872,387	0.9 %	\$56,549
280	289	Blood Related Disorders	267	0.9 %	\$22,521,945	1.3 %	\$84,352
240	279	Endocrine & Metabolic Disorders	572	1.9 %	\$34,654,974	2.0 %	\$60,586
320	359	Nervous System	463	1.6 %	\$36,711,797	2.1 %	\$79,291
V00	V83	Health Status or Service	610	2.0 %	\$39,726,055	2.3 %	\$65,125
290	319	Mental Disorders, Drug, Alcohol	1,579	5.3 %	\$65,928,673	3.8 %	\$41,753
580	629	Genitourinary System	1,227	4.1 %	\$66,130,311	3.8 %	\$53,896
460	519	Respiratory System	1,172	3.9 %	\$76,468,760	4.4 %	\$65,246
001	139	Infectious & Parasitic Disease	1,018	3.4 %	\$82,827,053	4.8 %	\$81,363
710	739	Skeleton & Muscle System	2,086	7.0 %	\$87,349,015	5.0 %	\$41,874
780	799	Symptoms & Ill-Defined Condition	1,451	4.9 %	\$95,384,799	5.5 %	\$65,737
520	579	Digestive System	2,009	6.7 %	\$121,185,888	7.0 %	\$60,321
800	999	Injury & Poisoning	2,756	9.2 %	\$183,672,802	10.6 %	\$66,645
140	239	Malignant Neoplasms	4,410	14.8 %	\$267,049,755	15.4 %	\$60,556
390	459	Circulatory System	9,213	30.9 %	\$505,998,909	29.1 %	\$54,922
Totals for Gender			29,824		\$1,739,090,135		\$58,312

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 18

Age Less Than : 65

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
		Unknown Diagnosis	136	0.5 %	\$7,149,121	0.5 %	\$52,567
360	389	Sense Organs	175	0.6 %	\$7,308,842	0.5 %	\$41,765
680	709	Skin Disorders	236	0.8 %	\$12,920,989	0.8 %	\$54,750
280	289	Blood Related Disorders	256	0.9 %	\$15,809,517	1.0 %	\$61,756
740	779	Congenital & Perinatal	294	1.0 %	\$16,162,506	1.1 %	\$54,975
240	279	Endocrine & Metabolic Disorders	591	2.1 %	\$34,677,734	2.3 %	\$58,676
320	359	Nervous System	587	2.1 %	\$41,452,945	2.7 %	\$70,618
001	139	Infectious & Parasitic Disease	585	2.0 %	\$42,291,714	2.8 %	\$72,294
V00	V83	Health Status or Service	699	2.4 %	\$42,798,751	2.8 %	\$61,229
630	679	Pregnancy & Childbirth	1,212	4.2 %	\$48,967,459	3.2 %	\$40,402
460	519	Respiratory System	1,167	4.1 %	\$66,937,777	4.4 %	\$57,359
780	799	Symptoms & Ill-Defined Condition	1,434	5.0 %	\$75,930,216	5.0 %	\$52,950
580	629	Genitourinary System	2,187	7.7 %	\$97,657,032	6.4 %	\$44,653
290	319	Mental Disorders, Drug, Alcohol	2,441	8.5 %	\$102,658,085	6.7 %	\$42,056
710	739	Skeleton & Muscle System	2,649	9.3 %	\$109,573,436	7.2 %	\$41,364
800	999	Injury & Poisoning	2,035	7.1 %	\$123,444,126	8.1 %	\$60,661
520	579	Digestive System	2,495	8.7 %	\$138,039,406	9.0 %	\$55,326
390	459	Circulatory System	3,969	13.9 %	\$241,089,646	15.7 %	\$60,743
140	239	Malignant Neoplasms	5,403	18.9 %	\$306,439,922	20.0 %	\$56,717
Totals for Gender			28,551		\$1,531,309,224		\$53,634

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 18

Age Less Than : 65

Gender : Blank Field

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
710	739	Skeleton & Muscle System	2	28.6 %	\$66,576	22.8 %	\$33,288
520	579	Digestive System	2	28.6 %	\$67,980	23.3 %	\$33,990
140	239	Malignant Neoplasms	3	42.9 %	\$157,759	54.0 %	\$52,586
Totals for Gender			7		\$292,315		\$41,759
Totals for Age Range			58,382		\$3,270,691,674		\$56,022

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 65

Age Less Than : 120

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
740	779	Congenital & Perinatal	7	0.1 %	\$483,049	0.2 %	\$69,007
		Unknown Diagnosis	16	0.3 %	\$772,129	0.3 %	\$48,258
360	389	Sense Organs	29	0.6 %	\$1,281,364	0.4 %	\$43,495
680	709	Skin Disorders	30	0.6 %	\$1,473,715	0.5 %	\$49,124
280	289	Blood Related Disorders	26	0.5 %	\$1,497,717	0.5 %	\$57,605
290	319	Mental Disorders, Drug, Alcohol	53	1.1 %	\$2,507,788	0.9 %	\$47,317
240	279	Endocrine & Metabolic Disorders	73	1.5 %	\$4,291,166	1.5 %	\$58,783
320	359	Nervous System	74	1.5 %	\$4,820,297	1.7 %	\$65,139
001	139	Infectious & Parasitic Disease	100	2.1 %	\$8,037,131	2.1 %	\$80,371
V00	V83	Health Status or Service	103	2.1 %	\$8,147,524	2.1 %	\$59,685
580	629	Genitourinary System	198	4.1 %	\$11,081,868	3.8 %	\$55,969
710	739	Skeleton & Muscle System	351	7.3 %	\$14,915,906	5.2 %	\$42,495
520	579	Digestive System	272	5.6 %	\$15,237,386	5.3 %	\$56,020
800	999	Injury & Poisoning	265	5.5 %	\$15,473,580	5.4 %	\$58,391
460	519	Respiratory System	302	6.2 %	\$19,534,148	6.8 %	\$64,683
780	799	Symptoms & Ill-Defined Condition	190	3.9 %	\$24,668,043	8.6 %	\$129,832
140	239	Malignant Neoplasms	830	17.2 %	\$42,633,369	14.8 %	\$51,366
390	459	Circulatory System	1,917	39.6 %	\$115,643,314	40.1 %	\$60,325
Totals for Gender			4,836		\$288,479,495		\$59,653

TABLE VII-3—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1991

Age At Least : 65

Age Less Than : 120

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
630	679	Pregnancy & Childbirth	2	0.1 %	\$56,414	0.0 %	\$28,207
740	779	Congenital & Perinatal	8	0.3 %	\$346,726	0.2 %	\$43,341
360	389	Sense Organs	21	0.7 %	\$685,885	0.4 %	\$32,661
		Unknown Diagnosis	13	0.4 %	\$759,428	0.5 %	\$58,418
680	709	Skin Disorders	14	0.5 %	\$762,354	0.5 %	\$54,454
280	289	Blood Related Disorders	20	0.7 %	\$1,008,922	0.6 %	\$50,446
290	319	Mental Disorders, Drug, Alcohol	59	2.0 %	\$2,296,698	1.4 %	\$38,927
240	279	Endocrine & Metabolic Disorders	62	2.1 %	\$3,665,633	2.3 %	\$59,123
320	359	Nervous System	61	2.1 %	\$3,960,873	2.5 %	\$64,932
V00	V83	Health Status or Service	68	2.3 %	\$4,558,160	2.8 %	\$67,032
001	139	Infectious & Parasitic Disease	78	2.7 %	\$4,563,924	2.8 %	\$58,512
580	629	Genitourinary System	105	3.6 %	\$4,582,963	2.8 %	\$43,647
780	799	Symptoms & Ill-Defined Condition	118	4.0 %	\$6,670,855	4.1 %	\$56,533
460	519	Respiratory System	181	6.2 %	\$10,637,898	6.6 %	\$58,773
800	999	Injury & Poisoning	207	7.1 %	\$10,744,180	6.7 %	\$51,904
520	579	Digestive System	226	7.7 %	\$13,802,871	8.5 %	\$61,075
710	739	Skeleton & Muscle System	352	12.0 %	\$15,060,507	9.3 %	\$42,786
140	239	Malignant Neoplasms	512	17.5 %	\$26,799,854	16.6 %	\$52,343
390	459	Circulatory System	823	28.1 %	\$50,479,375	31.3 %	\$61,336
Totals for Gender			2,930		\$161,443,520		\$55,100
Totals for Age Range			7,766		\$449,923,015		\$57,935
Totals for All Genders and Age Ranges			75,789		\$4,427,068,302		\$58,413

TABLE VII-4
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 0

Age Less Than : 2

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
290	319	Mental Disorders, Drug, Alcoho	4	0.2 %	\$125,918	0.1 %	\$31,479
680	709	Skin Disorders	6	0.2 %	\$379,951	0.2 %	\$63,325
280	289	Blood Related Disorders	5	0.2 %	\$396,847	0.2 %	\$79,369
630	679	Pregnancy & Childbirth	10	0.4 %	\$659,171	0.3 %	\$65,917
710	739	Skeleton & Muscle System	8	0.3 %	\$758,712	0.3 %	\$94,839
580	629	Genitourinary System	10	0.4 %	\$772,411	0.3 %	\$77,241
360	389	Sense Organs	15	0.6 %	\$875,613	0.4 %	\$58,374
240	279	Endocrine & Metabolic Disorder	13	0.5 %	\$1,800,433	0.8 %	\$138,495
001	139	Infectious & Parasitic Disease	32	1.3 %	\$2,175,654	0.9 %	\$67,989
320	359	Nervous System	28	1.1 %	\$2,207,044	1.0 %	\$78,823
		Unknown Diagnosis	39	1.6 %	\$2,236,612	1.0 %	\$57,349
390	459	Circulatory System	45	1.8 %	\$4,165,630	1.8 %	\$92,570
140	239	Malignant Neoplasms	36	1.5 %	\$4,211,220	1.8 %	\$116,978
800	999	Injury & Poisoning	61	2.5 %	\$4,803,221	2.1 %	\$78,741
520	579	Digestive System	63	2.6 %	\$8,585,488	3.7 %	\$136,278
780	799	Symptoms & Ill-Defined Condit	73	3.0 %	\$9,292,088	4.0 %	\$127,289
460	519	Respiratory System	120	4.9 %	\$10,533,300	4.5 %	\$87,777
V00	V83	Health Status or Service	343	13.9 %	\$27,017,819	11.7 %	\$78,769
740	779	Congenital & Perinatal	1,552	63.0 %	\$150,582,507	65.0 %	\$97,025
Totals for Gender			2,463		\$231,579,636		\$94,023

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 0

Age Less Than : 2

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
290	319	Mental Disorders, Drug, Alchoh	3	0.1 %	\$148,319	0.1 %	\$49,440
680	709	Skin Disorders	3	0.1 %	\$188,253	0.1 %	\$62,751
360	389	Sense Organs	7	0.3 %	\$353,082	0.2 %	\$50,440
280	289	Blood Related Disorders	7	0.3 %	\$435,550	0.2 %	\$62,221
710	739	Skeleton & Muscle System	13	0.6 %	\$628,328	0.3 %	\$48,333
240	279	Endocrine & Metabolic Disorder	11	0.5 %	\$872,698	0.5 %	\$79,336
001	139	Infectious & Parasitic Disease	20	1.0 %	\$1,013,779	0.6 %	\$50,689
580	629	Ger.itourinary System	16	0.8 %	\$1,048,695	0.6 %	\$65,543
320	359	Nervous System	20	1.0 %	\$1,134,428	0.7 %	\$59,721
630	679	Pregnancy & Childbirth	16	0.8 %	\$1,259,142	0.7 %	\$78,696
390	459	Circulatory System	28	1.4 %	\$2,574,174	1.4 %	\$91,935
800	999	Injury & Poisoning	41	2.0 %	\$3,264,719	1.8 %	\$79,627
		Unknown Diagnosis	40	2.0 %	\$3,519,967	2.0 %	\$87,999
140	239	Malignant Neoplasms	39	1.9 %	\$4,740,141	2.6 %	\$121,542
520	579	Digestive System	50	2.5 %	\$4,790,806	2.7 %	\$95,816
460	519	Respiratory System	68	3.3 %	\$5,275,818	2.9 %	\$77,586
780	799	Symptoms & Ill-Defined Condit	71	3.5 %	\$6,517,070	3.6 %	\$91,790
V00	V83	Health Status or Service	317	15.6 %	\$25,528,936	14.2 %	\$80,536
740	779	Congenital & Perinatal	1,260	62.1 %	\$116,735,939	64.8 %	\$92,648
Totals for Gender			2,030		\$180,090,844		\$88,715

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 0

Age Less Than : 2

Gender : Blank Field

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
740	779	Congenital & Perinatal	1	50.0 %	\$42,250	12.7 %	\$42,250
520	579	Digestive System	1	50.0 %	\$290,280	87.3 %	\$290,280
Totals for Gender			2		\$332,530		\$166,265
Totals for Age Range			4,495		\$412,003,010		\$91,658

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 2

Age Less Than : 18

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
630	679	Pregnancy & Childbirth	1	0.0 %	\$26,105	0.0 %	\$26,105
		Unknown Diagnosis	6	0.2 %	\$254,700	0.1 %	\$42,450
680	709	Skin Disorders	24	0.7 %	\$1,105,000	0.5 %	\$46,042
360	389	Sense Organs	36	1.1 %	\$1,360,942	0.7 %	\$37,804
580	629	Genitourinary System	56	1.7 %	\$3,988,036	1.9 %	\$71,215
390	459	Circulatory System	68	2.1 %	\$5,182,809	2.5 %	\$76,218
V00	V83	Health Status or Service	57	1.7 %	\$5,201,980	2.5 %	\$91,263
001	139	Infectious & Parasitic Disease	56	1.7 %	\$5,572,227	2.7 %	\$99,504
710	739	Skeleton & Muscle System	142	4.3 %	\$6,315,895	3.0 %	\$44,478
780	799	Symptoms & Ill-Defined Condi	107	3.3 %	\$8,177,655	3.9 %	\$76,427
320	359	Nervous System	121	3.7 %	\$9,117,305	4.4 %	\$75,350
280	289	Blood Related Disorders	104	3.2 %	\$9,420,684	4.5 %	\$90,583
460	519	Respiratory System	163	5.0 %	\$10,232,235	4.9 %	\$62,774
520	579	Digestive System	174	5.3 %	\$10,736,171	5.2 %	\$61,702
240	279	Endocrine & Metabolic Disorder	195	6.0 %	\$11,573,614	5.8 %	\$59,352
740	779	Congenital & Perinatal	304	9.3 %	\$18,574,354	9.0 %	\$61,100
140	239	Malignant Neoplasms	297	9.1 %	\$31,879,157	15.4 %	\$107,337
290	319	Mental Disorders, Drug, Alcoho	818	25.0 %	\$33,952,291	16.4 %	\$41,506
800	999	Injury & Poisoning	539	16.5 %	\$34,721,585	16.7 %	\$64,419
Totals for Gender			3,268		\$207,392,744		\$63,462

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 2

Age Less Than : 18

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
		Unknown Diagnosis	10	0.3 %	\$420,295	0.2 %	\$42,029
630	679	Pregnancy & Childbirth	12	0.4 %	\$523,447	0.3 %	\$43,621
680	709	Skin Disorders	15	0.5 %	\$817,584	0.4 %	\$54,506
360	389	Sense Organs	34	1.1 %	\$1,473,007	0.8 %	\$43,324
V00	V83	Health Status or Service	43	1.4 %	\$3,210,990	1.6 %	\$74,674
001	139	Infectious & Parasitic Disease	50	1.6 %	\$3,607,951	1.9 %	\$72,159
580	629	Genitourinary System	68	2.1 %	\$3,691,394	1.9 %	\$54,285
390	459	Circulatory System	74	2.3 %	\$4,142,253	2.1 %	\$55,976
280	289	Blood Related Disorders	63	2.0 %	\$5,025,001	2.6 %	\$79,762
520	579	Digestive System	165	5.2 %	\$7,764,448	4.0 %	\$47,057
780	799	Symptoms & Ill-Defined Condi	113	3.6 %	\$8,454,729	4.3 %	\$74,821
240	279	Endocrine & Metabolic Disorder	196	6.2 %	\$8,846,552	4.5 %	\$45,135
460	519	Respiratory System	158	5.0 %	\$9,584,273	4.9 %	\$60,660
710	739	Skeleton & Muscle System	240	7.6 %	\$10,649,618	5.5 %	\$44,373
320	359	Nervous System	135	4.3 %	\$11,850,629	6.1 %	\$87,782
740	779	Congenital & Perinatal	350	11.0 %	\$24,116,433	12.4 %	\$68,904
800	999	Injury & Poisoning	355	11.2 %	\$25,485,901	13.1 %	\$71,791
140	239	Malignant Neoplasms	286	9.0 %	\$31,075,289	16.0 %	\$108,655
290	319	Mental Disorders, Drug, Alcoho	803	25.3 %	\$33,883,381	17.4 %	\$42,196
Totals for Gender			3,170		\$194,623,176		\$61,395
Totals for Age Range			6,438		\$402,015,920		\$62,444

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 18

Age Less Than : 65

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
630	679	Pregnancy & Childbirth	148	0.4 %	\$5,555,197	0.2 %	\$37,535
		Unknown Diagnosis	126	0.3 %	\$11,215,397	0.5 %	\$89,011
360	389	Sense Organs	247	0.7 %	\$12,205,331	0.5 %	\$49,414
740	779	Congenital & Perinatal	240	0.6 %	\$13,523,091	0.6 %	\$56,346
680	709	Skin Disorders	289	0.8 %	\$15,310,050	0.7 %	\$52,976
280	289	Blood Related Disorders	314	0.8 %	\$27,811,010	1.3 %	\$88,570
V00	V83	Health Status or Service	564	1.5 %	\$39,829,865	1.8 %	\$70,620
320	359	Nervous System	570	1.5 %	\$42,879,772	1.9 %	\$75,228
240	279	Endocrine & Metabolic Disorder	685	1.8 %	\$45,526,275	2.0 %	\$66,482
290	319	Mental Disorders, Drug, Alcoho	1,461	3.9 %	\$58,116,191	2.6 %	\$39,778
580	629	Genitourinary System	1,569	4.2 %	\$78,984,634	3.6 %	\$50,341
780	799	Symptoms & Ill-Defined Condi	1,227	3.3 %	\$84,275,413	3.8 %	\$68,684
460	519	Respiratory System	1,430	3.8 %	\$90,076,972	4.1 %	\$62,991
001	139	Infectious & Parasitic Disease	1,347	3.6 %	\$121,485,411	5.5 %	\$90,190
710	739	Skeleton & Muscle System	3,085	8.3 %	\$128,045,551	5.8 %	\$41,506
520	579	Digestive System	2,700	7.3 %	\$159,223,593	7.2 %	\$58,972
800	999	Injury & Poisoning	3,385	9.1 %	\$223,048,188	10.0 %	\$65,893
140	239	Malignant Neoplasms	6,070	16.3 %	\$388,503,183	17.5 %	\$64,004
390	459	Circulatory System	11,747	31.6 %	\$678,070,843	30.5 %	\$57,723
Totals for Gender			37,204		\$2,223,685,967		\$59,770

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 18

Age Less Than : 65

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
		Unknown Diagnosis	122	0.3 %	\$7,469,226	0.4 %	\$61,223
360	389	Sense Organs	242	0.6 %	\$9,188,081	0.5 %	\$37,967
680	709	Skin Disorders	287	0.8 %	\$15,181,335	0.8 %	\$52,897
740	779	Congenital & Perinatal	400	1.1 %	\$22,211,126	1.1 %	\$55,528
280	289	Blood Related Disorders	340	0.9 %	\$24,196,193	1.2 %	\$71,165
V00	V83	Health Status or Service	738	2.0 %	\$42,963,419	2.1 %	\$58,216
320	359	Nervous System	743	2.0 %	\$48,000,771	2.4 %	\$64,604
240	279	Endocrine & Metabolic Disorder	843	2.2 %	\$49,882,628	2.5 %	\$59,173
001	139	Infectious & Parasitic Disease	703	1.9 %	\$56,552,590	2.8 %	\$80,445
630	679	Pregnancy & Childbirth	1,765	4.7 %	\$67,914,134	3.4 %	\$38,478
780	799	Symptoms & Ill-Defined Condi	1,265	3.4 %	\$68,634,421	3.4 %	\$54,256
460	519	Respiratory System	1,615	4.3 %	\$92,884,400	4.6 %	\$57,514
290	319	Mental Disorders, Drug, Alcoho	2,499	6.7 %	\$103,482,484	5.1 %	\$41,410
580	629	Genitourinary System	3,287	8.8 %	\$137,767,979	6.9 %	\$41,913
710	739	Skeleton & Muscle System	3,840	10.2 %	\$158,889,572	7.9 %	\$41,377
800	999	Injury & Poisoning	2,617	7.0 %	\$163,159,145	8.1 %	\$62,346
520	579	Digestive System	3,511	9.4 %	\$184,193,764	9.2 %	\$52,462
390	459	Circulatory System	5,061	13.5 %	\$311,598,868	15.5 %	\$61,569
140	239	Malignant Neoplasms	7,594	20.3 %	\$446,937,979	22.2 %	\$58,854
Totals for Gender			37,472		\$2,011,108,114		\$53,670

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 18

Age Less Than : 65

Gender : Blank Field

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
140	239	Malignant Neoplasms	1	33.3 %	\$37,429	20.6 %	\$37,429
630	679	Pregnancy & Childbirth	1	33.3 %	\$65,438	36.0 %	\$65,438
390	459	Circulatory System	1	33.3 %	\$78,956	43.4 %	\$78,956
Totals for Gender			3		\$181,823		\$60,608
Totals for Age Range			74,679		\$4,234,975,904		\$56,709

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 65

Age Less Than : 120

Gender : Male

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
740	779	Congenital & Perinatal	6	0.1 %	\$344,985	0.1 %	\$57,498
		Unknown Diagnosis	24	0.4 %	\$1,425,364	0.4 %	\$59,390
360	389	Sense Organs	43	0.7 %	\$1,519,581	0.4 %	\$35,339
280	289	Blood Related Disorders	32	0.5 %	\$1,772,148	0.5 %	\$55,380
290	319	Mental Disorders, Drug, Alchoh	47	0.7 %	\$2,040,370	0.5 %	\$43,412
680	709	Skin Disorders	45	0.7 %	\$2,389,592	0.6 %	\$53,102
V00	V83	Health Status or Service	82	1.3 %	\$4,612,759	1.2 %	\$56,253
320	359	Nervous System	81	1.3 %	\$4,816,377	1.3 %	\$59,461
240	279	Endocrine & Metabolic Disorder	105	1.7 %	\$6,434,139	1.7 %	\$61,278
001	139	Infectious & Parasitic Disease	167	2.6 %	\$9,982,064	2.7 %	\$59,773
580	629	Genitourinary System	263	4.2 %	\$13,135,871	3.5 %	\$49,946
710	739	Skeleton & Muscle System	466	7.4 %	\$19,198,252	5.1 %	\$41,198
800	999	Injury & Poisoning	339	5.4 %	\$21,399,566	5.7 %	\$63,126
520	579	Digestive System	393	6.2 %	\$21,732,198	5.8 %	\$55,298
460	519	Respiratory System	399	6.3 %	\$24,990,777	6.8 %	\$62,634
780	799	Symptoms & Ill-Defined Condit	218	3.5 %	\$43,434,352	11.6 %	\$199,240
140	239	Malignant Neoplasms	1,202	19.0 %	\$58,606,654	15.6 %	\$48,758
390	459	Circulatory System	2,399	38.0 %	\$138,183,781	36.7 %	\$57,601
Totals for Gender			6,311		\$376,018,829		\$59,581

TABLE VII-4—Continued
TOTAL CHARGES BY AGE RANGE, GENDER AND DIAGNOSIS CATEGORY
FOR ALL PLAN TYPES AND ALL PARTICIPANTS IN 1992

Age At Least : 65

Age Less Than : 120

Gender : Female

Low ICD9 of Range	High ICD9 of Range	Diagnosis Category Description	Number of Claimants	Percent of Claimants	Total Charges	Percent of Total Charges	Average Total Charges per Claimant
		Unknown Diagnosis	11	0.3 %	\$458,727	0.2 %	\$41,702
740	779	Congenital & Perinatal	11	0.3 %	\$472,669	0.3 %	\$42,970
360	389	Sense Organs	33	0.9 %	\$1,179,253	0.6 %	\$35,735
280	289	Blood Related Disorders	26	0.7 %	\$1,250,346	0.7 %	\$48,090
680	709	Skin Disorders	27	0.8 %	\$1,611,001	0.9 %	\$59,667
290	319	Mental Disorders, Drug, Alcoho	63	1.8 %	\$2,699,779	1.4 %	\$42,854
240	279	Endocrine & Metabolic Disorder	60	1.7 %	\$3,029,447	1.6 %	\$50,491
320	359	Nervous System	52	1.5 %	\$3,492,505	1.9 %	\$67,164
V00	V83	Health Status or Service	76	2.2 %	\$4,651,131	2.5 %	\$61,199
780	799	Symptoms & Ill-Defined Condit	100	2.8 %	\$5,053,479	2.7 %	\$50,535
001	139	Infectious & Parasitic Disease	102	2.9 %	\$5,789,203	3.1 %	\$56,757
580	629	Genitourinary System	126	3.6 %	\$6,384,441	3.4 %	\$49,878
800	999	Injury & Poisoning	269	7.6 %	\$13,488,575	7.2 %	\$50,143
460	519	Respiratory System	233	6.6 %	\$14,028,861	7.5 %	\$60,210
520	579	Digestive System	285	8.1 %	\$16,083,489	8.6 %	\$56,433
710	739	Skeleton & Muscle System	419	11.9 %	\$17,459,155	9.4 %	\$41,669
140	239	Malignant Neoplasms	679	19.3 %	\$34,476,203	18.5 %	\$50,775
390	459	Circulatory System	950	27.0 %	\$55,104,273	29.5 %	\$58,004
Totals for Gender			3,524		\$186,712,537		\$52,983
Totals for Age Range			9,835		\$562,731,355		\$57,217
Totals for All Genders and Age Ranges			95,447		\$5,611,726,199		